



Company **Profile**



www.uzzalabioenergy.com

Who We Are?



Uzzala Bio Energy Solutions, is founded with the vision of creating "An Energy Independent World". Through Uzzala's strong mission of providing customized and sustainable energy solutions for converting wastes into energy and power generation plants to reduce fossil fuel dependency. Uzzala Bio Energy Solutions attended over thousands of satisfied customers in a very short span of time. Uzzala Bio Energy Solutions is now a single point solution for all your energy needs. Based on Client's requirements and economic viability, we offer the most practical alternatives to cut down the costs, increase the client's profit and lead to sustainable production.

Uzzala Bio Energy Solutions is specialized in **Biogas Generation Plant, Biogas Purification & Bottling Plant, CSTR Digester, H₂S Removal System, Water Scrubber, Organic Fertilizer, Membrane Biogas Separation, Sewage Treatment Plant, PSA Purification Plant, CBG Fuel**. As an integrated technology company, Uzzala Bio Energy Solutions have expertise in design, manufacturing and installation of Biogas Plants for varying applications ranging from household cooking to industrial thermal purposes, power generation, transportation fuel replacing LPG, Petrol, Diesel, CNG and all kinds of fossil fuels.

Our Objectives of the energy turnaround can only be achieved in an economically justifiable way if biomethane is used as an immediately available option to lower the carbon freight of the energy sector. In a future energy system that is increasingly fed by wind, solar and biomass, renewable gases like Biogas and trendsetting technologies like power-to-gas are essential.



Who
We Are?



BASIC INFORMATION

NAME OF THE COMPANY : Uzzala Bio Energy Solutions

REGD. CORP OFFICE : 305, Royal Square, Science City Road, Sola, Ahmedabad 380060,
Gujarat (INDIA)

MANUFACTURING UNIT : Viramgam, Gujarat (INDIA)

BUSINESS TYPE : * Manufacturer * Supplier * Trader

GST NO. : 24AAGFU2196K1ZU

CONTACT NUMBER : +91-8200618329 | 9756962526 | 9825017181

E-MAIL : uzzalabio@gmail.com

WEBSITE : www.uzzalabioenergy.com



www.uzzalabioenergy.com



Our Mission

Our mission is to strive hard to achieve what has not been achieved hitherto and produce the world's best products & services in terms of quality, reliability and performance to serve the domain of Biogas and Solar Energy and translate our advanced technologies into value for our customers and stakeholders.

Our Vision

We are committed to ensure that our comprehensive business solutions spearhead the renewable energy movement for a cleaner and greener environment globally, by aggressively capitalise the emerging Grid and Off Grid opportunities, biogas turnkey projects, biogas to biomethen (CNG) and biogas to electricity in appropriate collaboration with the world's leading renewable energy companies for delivering a comprehensive range of quality products and services that enrich the lives of our customers, employees, shareholders and the country at large.

Core Values

Solution Focused:

Identify and offer effective solutions & challenges in the industry and at our facility.



Get it done:

Be persistent, focused and explore every option to get it done.



Commitment to Excellence:

We measure ourselves against the highest standards & Quality.



Customer Centric:
Customer satisfaction is our one true goal and our every action will revolve around driving true value to the customer.



Quality:

We never compromise on quality. Our products are tested thoroughly at every stage and hence are of highest quality.



Honesty:

"Honesty" to us means sincerity, truthfulness, fair & loyal with integrity.



Technical & Management Team



Mr. Niraj Kumar Singh Director –Technical Head		Mr. Niraj Kumar Singh is the Director – Technical Head of Uzzala Bio Energy Solutions. He is a graduate in Mechanical Engineering having 20+ years of technical expertise in the field of Bio Renewable Energy.
Dr. Alok Agrawal Director – Business Development		Dr. Alok Agrawal is the Business Development Director. He is responsible for business development & Promotions in India. He is a Masters in Chemical & having more than 30 years of experience in wide range of fields.
Mr. Kirit Prajapati Managing Director		Mr. Kirit Prajapati is the Managing Director. He is responsible for managing business. He is a Masters of Arts & having 13 Years of experience in Management along with 20 years of experience in Renewable Energy
Design & Engineering Team No. of Employees : 5 to 10		We are having a team of 15+ highly skilled Service Engineers who is actively taking care of our projects.
Project Engineer No. of Employees : 5 to 7		We are having a team of 5 to 10 years of experience Project Engineers who manage & supervised our projects.
Service Engineer No. of Employees : 10+		We are having a team of 2 to 10 years of experience Service Engineers who is actively helping in our projects.
Corporate Employees No. of Employees : 20+		We are having a team of corporate employees who is also our handling Our Office & workshop.



CSTR Digester



Continuous Stirred-Tank Reactor (CSTR) Anaerobic Digester

The CSTR is a completely-mixed form of anaerobic reactor, designed to maximize the contact between the biomass and the waste, to optimize digestion performance. One of the oldest digester configurations, it is also one of the best in terms of applicability to different wastes. No waste is too strong to employ the technology and with two different operating modes and many different forms of biogas retention, the CSTR is an extremely flexible process.

The wastewater (wastewater/sludge mixture) enters the reactor at the bottom and leaves at the top and includes an internal recycle loop which draws reactor contents from the opposite side of the entry. Proper mixing by means of a top-entry, multi-stage agitator ensures that the influent is in constant contact with the biomass for optimal mass transfer and conversion of organic content (COD) to biogas. Depending on the application besides the top entry mixers, other solutions can be applied, such as side mixers or jet



Key features of Anaerobic Digester

- Low to medium loading rates.
- No waste is too strong (organic content, COD). The system can handle sludge, slurries or other concentrated waste waters.
- Suitable for high fats, oil and grease (FOG) concentrations.
- Can manage very high suspended solids (TSS) concentrations (25,000 mg/L TSS).
- CSTR– M (mesophilic digestion: 35-40°C) suitable for high protein (nitrogen) content wastes.
- CSTR– T (thermophilic digestion process: 45-55°C) suitable for low protein (nitrogen) content wastes.



Products & Services



H₂S Removal System



The basic working principle of our H₂S Removal System, the Scrubber can be viewed as a caustic type of Hydrogen Sulphide Removal System in which the spent caustic solution is continuously regenerated in a bioreactor.



The scrubbing liquid containing the sulphide is directed to the bio reactor where the sulphide is oxidized by aerobic microorganisms, of the group of the colourless sulphur bacteria, into the elemental biosulphur.



From above equations the hydroxide used in the scrubber is regenerated in the biological step. The liquid entering the scrubber at the top is sulphide free, resulting in a high concentration difference between the gas & liquid phase. Consequently very high removal efficiencies, in excess of 99% can be easily obtained. The bleed stream consisting of sodium salts is sulphide free & can in most cases easily be discharged.

We have developed a nutrient feed as required for the microorganisms which perform the function separation of elemental Sulphur from the Hydrogen Sulphide contained in the gas.

From above equation the hydroxide used in the scrubber is regenerated in the biological step. The liquid entering the scrubber at the top is sulphide free, resulting in high concentration difference between the gas liquid phase.



Consequently very high removal efficiencies, in excess of 99% can be easily obtained. The bleed stream consisting of sodium salts is sulphide free & can in most cases easily be discharged.

We have developed a nutrient feed as required for the microorganisms which perform the function separation of elemental sulphur from the Hydrogen Sulphide contained in the gas.

The Biogas Desulphuration system with added advantage of elemental sulphur is obtained as bi-product with purity of 80-90%. Sulphur has number of applications various industries, it is used as fertilizer directly or additive to the fertilizers.

It is also utilized in making the fire crackers. Its purity can be improved in the range of 95-99% by using the Sulphur smelting process. The sulphur with high purity has special applications in sugar and pharmaceutical industry.





Water Scrubber >>>>

Water scrubbing is used to remove carbon dioxide but also hydrogen sulphide from biogas since these gases are more soluble in water than methane. The absorption process is purely physical. Usually the biogas is pressurized and fed to the bottom of a packed column where water is fed on the top and so the absorption process is operated counter-currently.

PSA Purification Plant >>>>

Pressure swing adsorption, also known as PSA, is emerging as most popular biogas upgradation technology in many parts of the world. A typical PAS system is composed of two or four vessels in series that are filled with adsorbent media which is capable of removing water vapour, CO_2 , N_2 and O_2 from the biogas stream.

Membrane Biogas Separation >>>>

The technology used to separate the two main components of biogas –methane and carbon dioxide – is based on the use of polymer membranes. This efficient system generated biomethane with a methane (CH_4) content of between 96.5% and 99% depending on its purpose.

Compressed Biogas (CBG) >>>>

CBG is made from fermented waste or other biological material, thus making it a CO_2 neutral fuel. The fuel is mostly made up of methane, the other approx. 5 percent is made up of various gases. Compressed Biogas (CBG) is becoming an important part of the offerings for CO_2 neutral fuel for vehicles.

What We Provide

We provide CBG by following below parameters & specifications-

- 1) CBG will be free from liquids over the entire range of temperature and pressure encountered in storage and dispensing system
- b) The CBG will be free from particular matter such as dirt, dust etc.
- c) CBG delivered shall be odorized similar to a level found in local distribution
- d) Compressed Bio Gas (CBG) to be supplied shall meet IS 16087:2016 specifications of BIS (detailed below) and any other further revisions in the said specifications.





Sewage Treatment Plant >>>>

Biogas Generation from Sewage Sludge & Sewage Treatment Plant

Biogas is produced by anaerobic (oxygen free) digestion of organic materials such as sewage sludge animal waste, and municipal solid wastes (MSW).

The sewage sludge contains mainly proteins, sugars, detergents, phenols, and lipids. Sewage sludge also includes toxic and hazardous organic pollutants sources. The digestion of municipal sewage sludge (MSS) in three basic steps: acidogen, methanogens, and methanogens. During a 30-day digestion period, 80-85% of the biogas is produced in the first 15-18 days. Higher yields were observed within the temperature range of 30-60.C and pH range of 5,5-8.5 The MSS contains low nitrogen and has carbon-to-nitrogen (C/N) ratios of around 40-70. The optimal C/N ratios for the AD should small-scale sewage plants is often low, so nitrogen can be added in an inorganic form (ammonia or in organic form) such as livestock manure, urea, or food wastes.

Organic Fertilizer >>>>

The sludge from biogas production can be used as organic fertilizer which functions as plant growth stimulator and bio-fungicide. Biogas residue fertilizer is not only with high quality, but also a good soil conditioner. According to the determination, applying biogas organic fertilizer can increase soil 0.17-0.6% of organic matter content, enhance 0.003-0.005% of total nitrogen and improve 0.01-0.03% of total phosphorus.

Advantages of Organic Fertilizer:

We provide CBG by following below parameters & specifications-

In addition to releasing nutrients, as organic fertilizers break down, they improve the structure of the soil and increase its ability to hold water and nutrients. Over time, organic fertilizers will make your soil—and plants—healthy and strong.


There's little to no risk of toxic buildups of chemicals and salts that can be deadly to plants.

Organic fertilizers are renewable, biodegradable, sustainable, and environmentally friendly.

Benefits of Organic Fertilizer

- Food produced is free from harmful chemicals.
- Easily bio-degradable and do not cause pollution
- Help maintain soil structure, fertility & increase soil nutrient holding capacity.
- Easy to prepare in Garden or farm






CBG Fuel >>>>

The bio- gas is purified to remove hydrogen sulfide (H_2S), carbon dioxide (CO_2), water vapour and compressed as Compressed Bio Gas (CBG), which has methane (CH_4) content of more than 90%. It is produced from bio-mass sources like agricultural residue, cattle dung, sugarcane press mud, municipal solid & liquid waste, etc., through anaerobic digestion. With calorific value and other properties similar to CNG, CBG can be substituted as a green renewable fuel in transportation, industrial and commercial sectors.

Benefits of Compressed Bio Gas (CBG)

- Lowering pollution and carbon emission.
- Cheaper than other fuel.
- Import reduction of natural gas and crude.
- Providing a buffer against energy security concerns and crude/gas price fluctuations.
- Providing additional source of revenue to the farmers, rural employment and amelioration of the rural economy.
- Contribution towards Swachh Bharat Mission through responsible waste management.

Transformation of organic waste into Compressed Biogas (CBG)



5,000

Compressed Bio Gas (CBG) Pump will be set up by 2023, says Dharmendra Pradhan

Minister of Petroleum and Natural Gas, Minister of Steel





Biogas From Waste >>>>

Disposal and treatment of biological waste represent a major challenge for the waste industry. For a wide range of organic substances from agriculture, foodstuff of feed industries, anaerobic digestion is a superior alternative to composting.

Biogas – a mixture of both methane and carbon dioxide – is created during anaerobic digestion and serves as a high-energy renewable fuel that can be used as a substitute for fossil fuels. Biogas-fuelled gas engines improve waste management while maximising the use of an economical energy supply.

NEW STEP IN THE DEVELOPMENT OF BIOGAS



800 millions euros over the next 5
Year to develop Green Gases



10 % of green gas injected into the
networks by 2030

Advantages of fixed dome type of Biogas Plant

- Requires only locally and easily available materials for construction.
- Inexpensive.
- Easy to construct

Advantages of Biogas as Fuel

- High calorific value
- Clean fuel
- No residue produced
- No smoke produced
- Non polluting
- Economical
- Can be supplied through pipe lines
- Burns readily - has a convenient ignition temperature



Thank You!



UZZALA BIO ENERGY SOLUTIONS

📍 305, Royal Square,
Science City Road, Sola,
Ahmedabad 380060,
Gujarat (INDIA)

☎ +91-8200618329 | 9756962526 | 9825017181

✉ uzzalabio@gmail.com

🌐 www.uzzalabioenergy.com

Follow us on :

